

# PRIME RENTALS

1800 677 463



Your Local Equipment Hire Solution

## Company of Choice

Free Call 1800 677 463  
1800 6 PRIME

[www.primerentals.com.au](http://www.primerentals.com.au)

### Welcome To Prime Rentals

Prime Rentals is your local hire company that works with you to find the right solution. Our commitment is to provide safe, reliable equipment at cost effective rates

With an ever expanding market our equipment list is continually changing. If what you require is not listed please contact our friendly staff to find out if it is available.

**SAFETY - NOSA 5 Star Equivalent Safety Accreditation**



Gladstone  
Ph: 07 49768100

Mackay  
Ph: 07 49525378

Emerald:  
Ph: 07 49877436

| PAGE | INDEX  |
|------|--|
| 3    | <b>Access Equipment</b> - Boom Lifts, Scissor Lifts, Single Man Lifts, Harnesses                             |
| 4    | <b>Air Tools</b> - Breakers, Scabblers, Grinders, Wrenches, Drills, Manifolds                                |
| 5    | <b>Cleaning Equipment</b> - Pressure Cleaners hot/cold, Vacuum Cleaners, Blowers                             |
| 6    | <b>Compaction Equipment</b> - Plate Compactors, Rollers, Rammers   |
| 7    | <b>Compressors</b> - Silenced, Diesel/Electric, Portable, Skid Mount, Airlines, Manifolds                    |
| 8    | <b>Concrete Equipment</b> - Concrete Saws, Vibrators, Concrete Mixers, Trowels, Accessories                  |
| 9    | <b>Earth Moving</b> - Skid Steer Loaders, Dingo Diggers, Trencher, Mini Excavators                           |
| 10   | <b>Electrical Accessories</b> - Distribution Boards, RCD's, Flex Cables, Load Banks, Ext Leads               |
| 11   | <b>Electric Tools</b> - Grinders, Drills, Saws, Sanders, Pipe Threaders, Hole Punches, Mag Base Drills       |
| 12   | <b>Forklifts</b> - 2 & 3 stage Mast Forklifts, Container mast, Telescopic forklift, Material Handlers        |
| 13   | <b>Generators</b> - 2kva -500kva, Diesel Silenced, Petrol & Diesel Portables, Distribution Boards            |
| 14   | <b>Hydraulic Tools</b> - Hydraulic Pumps, Porta Powers, Hydraulic Rams, Hole Punch, Torque Wrench            |
| 15   | <b>Lighting</b> - Lighting Towers 4000, 6000 & 8000 Watt, Lead Lights, 32 Volt, 500w & 1500w on stands       |
| 16   | <b>Miscellaneous</b> - Containers, Fuel Tanks, Cable Finders, Ladders, Trailers, Traffic Barriers, Harnesses |
| 17   | <b>Pumping Equipment</b> - Diaphragm Pumps, Electric sludge/submersible, Diesel, Trash, Rapid Response       |
| 18   | <b>Rigging Equipment</b> - Hoists, Chain & Lever Blocks, Slings, Beam Clamps & Trolleys, Load Skates         |
| 19   | <b>Tool Stores</b> - Made to Order. Short term or permanent hire. Shutdown Management & barcoding            |
| 20   | <b>Welding Equipment</b> - Diesel, Electric, Caddy's, Oxy Trolleys, Clamps, Wire Feeders, Plasma, Fans       |

### **Additional Equipment on Request**

**With an ever expanding market our equipment list is continually changing. If what you require is not listed please contact our friendly staff to find out if it is available.**



*\*All equipment is fitted out according to mine specifications where required\**

The information on this list is for general information only and is not to be relied upon as being complete, accurate, or up to date and is subject to change. Specifications may vary depending on model and options

Whilst every care has been taken in the presentation of information, no representation is made and no responsibility is accepted of the whole or any part by Prime Rentals and any interested parties are advised to make their own enquiries and satisfy themselves in all respects.

Operators to hold current WH&S certificate of competency as required.

**Gladstone**  
PH: 07 49786000

**Sydney**  
Ph: 02 96092702

**Mackay**  
Ph: 07 49525378

**Emerald**  
Ph: 07 49877436



### Scissor Lifts - Electric

| SIZE        | TYPE     | DESCRIPTION               |
|-------------|----------|---------------------------|
| 15' (4.6m)  | Electric | Narrow Deck - Slab use    |
| 19' (5.8m)  | Electric | Narrow Deck - Slab use    |
| 20' (6.1m)  | Electric | Narrow Deck - Slab use    |
| 20' (6.1m)  | Electric | Wide Deck - Slab Use      |
| 26' (7.9m)  | Electric | Narrow Deck - Slab use    |
| 26' (7.9m)  | Electric | Wide Deck - Slab Use      |
| 30' (9.1m)  | Electric | Wide Deck - Slab Use      |
| 32' (9.7m)  | Electric | Wide Deck - Slab Use      |
| 41' (12.5m) | Electric | Wide Deck - Rough Terrain |

### Scissor Lifts - Diesel

| SIZE        | TYPE   | DESCRIPTION         |
|-------------|--------|---------------------|
| 26' (7.9m)  | Diesel | Rough Terrain - 4WD |
| 27' (8.2m)  | Diesel | Rough Terrain - 4WD |
| 32' (9.7m)  | Diesel | Rough Terrain - 4WD |
| 35' (10.7m) | Diesel | Rough Terrain - 4WD |
| 41' (12.5m) | Diesel | Rough Terrain - 4WD |
| 43' (13.1m) | Diesel | Rough Terrain - 4WD |
| 50' (15.2m) | Diesel | Rough Terrain - 4WD |

### Boom Lifts - Knuckle - Electric

| SIZE        | TYPE     | DESCRIPTION         |
|-------------|----------|---------------------|
| 30' (9.1m)  | Electric | Narrow - Slab Use   |
| 40' (12.2m) | Electric | Rough Terrain - 2WD |

### Boom Lifts - Knuckle - Petrol

| SIZE        | TYPE        | DESCRIPTION                                 |
|-------------|-------------|---|
| 35' (10.9m) | Petrol      | Trailer Boom - Towable - Outriggers         |
| 34' (10.5m) | Petrol/Elec | Spider Lift - Tracks & Levelling outriggers |

### Boom Lifts - Knuckle - Diesel

| SIZE        | TYPE   | DESCRIPTION          |
|-------------|--------|----------------------|
| 34' (10.5m) | Diesel | Rough Terrain - 4WD  |
| 40' (12.2m) | Diesel | Rough Terrain - 4WD  |
| 45' (13.7m) | Diesel | Rough Terrain - 4WD  |
| 46' (14m)   | Diesel | TK - Overbridge Unit |
| 60' (18.3m) | Diesel | Rough Terrain - 4WD  |
| 66' (20.1m) | Diesel | TK - Overbridge Unit |
| 80' (24.5m) | Diesel | Rough Terrain - 4WD  |
| 125' (38m)  | Diesel | Rough Terrain - 4WD  |
| 135' (41m)  | Diesel | Rough Terrain - 4WD  |

### Boom Lifts - Straight

| SIZE         | TYPE   | DESCRIPTION         |
|--------------|--------|---------------------|
| 45' (13.7m)  | Diesel | Rough Terrain - 4WD |
| 65' (19.8m)  | Diesel | Rough Terrain - 4WD |
| 66' (20.1m)  | Diesel | Rough Terrain - 4WD |
| 80' (24.5m)  | Diesel | Rough Terrain - 4WD |
| 85' (25.9m)  | Diesel | Rough Terrain - 4WD |
| 86' (26.2m)  | Diesel | Rough Terrain - 4WD |
| 120' (36.6m) | Diesel | Rough Terrain - 4WD |
| 125' (38m)   | Diesel | Rough Terrain - 4WD |
| 135' (41m)   | Diesel | Rough Terrain - 4WD |

### Single Man Lifts

| SIZE       | TYPE     | DESCRIPTION               |
|------------|----------|---------------------------|
| 15' (4.6m) | Electric | Self Propelled - Slab use |
| 20' (6.1m) | Electric | Self Propelled - Slab use |

No Bolt mobile scaff 4m  
 Razor deck

### Safety Harness

Full body Harness with 1.8m Lanyard



### Breakers

| SIZE | MODEL   | DESCRIPTION            |
|------|---------|------------------------|
| 12lb | Chipper | Breaker - Air Operated |
| 20lb | Light   | Breaker - Air Operated |
| 40lb | Medium  | Breaker - Air Operated |
| 60lb | Heavy   | Breaker - Air Operated |

### Breaker Accessories

| SIZE       | MODEL | DESCRIPTION   |
|------------|-------|---------------|
| 100mm (4") |       | Spade         |
| 100mm (4") |       | Ashalt Cutter |

Points  
Chisels

### Scabblers

| SIZE   | MODEL | DESCRIPTION               |
|--------|-------|---------------------------|
| 3 Head |       | Floor - Air Operated      |
| 5 Head |       | Floor - Air Operated      |
| 3 Head |       | Wall - Air Operated       |
| 34 cfm |       | Needle Gun - Air Operated |
| 43 cfm |       | Needle Gun - Air Operated |

### Grinders

| SIZE | MODEL   | DESCRIPTION             |
|------|---------|-------------------------|
| 4"   | (100mm) | Straight - Air Operated |
| 4"   | (100mm) | Angle - Air Operated    |
| 7"   | (175mm) | Straight - Air Operated |
| 7"   | (175mm) | Angle - Air Operated    |
| 1/4" |         | Die Grinder             |

### Wrenches

| SIZE         | MODEL  | DESCRIPTION                |
|--------------|--------|----------------------------|
| 1/2" Drive   | (13mm) | Impact                     |
| 3/4" Drive   | (19mm) | Nut Runner 2000Nm - 9500Nm |
| 3/4" Drive   | (19mm) | Impact                     |
| 1" Drive     | (25mm) | Impact                     |
| 1 1/2" Drive | (38mm) | Impact                     |
| 1/2"         | (13mm) | Sockets - 1/2" Drive       |
| 3/4"         | (19mm) | Assorted Sockets           |

### Drills

| SIZE       | MODEL    | DESCRIPTION             |
|------------|----------|-------------------------|
| 10mm       |          | Straight - Air Operated |
| 13mm       |          | Straight - Air Operated |
| 13mm       |          | Angle - Air Operated    |
| Light Duty | up to 2m | Rock                    |
| Medium     | 2m - 6m  | Rock                    |
| Heavy      |          | Rock                    |

Air Chisel



### Pressure Cleaners

| SIZE    | MODEL       | DESCRIPTION                     |
|---------|-------------|---------------------------------|
| 900psi  | Electric    | Cold Water Pressure Cleaner     |
| 1500psi | Diesel      | Hot/Cold Water Pressure Cleaner |
| 3000psi | Diesel      | Cold Water Pressure Cleaner     |
| 3000psi | Diesel/Elec | Hot/Cold Water Pressure Cleaner |

### Vacuum Cleaner

| SIZE | MODEL   | DESCRIPTION          |
|------|---------|----------------------|
|      | Wet/Dry | Heavy Duty Drum Type |

### Blower

| SIZE | MODEL | DESCRIPTION                  |
|------|-------|------------------------------|
|      | Stihl | Petrol (2 stroke) Air Blower |



### Plate Compactor

| SIZE | MODEL | DESCRIPTION |
|------|-------|-------------|
|------|-------|-------------|

|       |       |           |
|-------|-------|-----------|
| 330mm | 60kg  | Compactor |
| 500mm | 89kg  | Compactor |
| 600mm | 300kg | Compactor |
| 750mm | 517kg | Compactor |

### Vibrating Rammer

| SIZE | MODEL | DESCRIPTION |
|------|-------|-------------|
|------|-------|-------------|

|       |      |                             |
|-------|------|-----------------------------|
| 280mm | 60kg | Vertical Rammer - Vibrating |
| 300mm | 78kg | Vertical Rammer - Vibrating |

### Rollers

| SIZE | MODEL | DESCRIPTION |
|------|-------|-------------|
|------|-------|-------------|

|        |                       |                              |
|--------|-----------------------|------------------------------|
| 710mm  | 375kg                 | Pedestrian Smooth Drum       |
|        | 1ton                  | Smooth Drum - Self Propelled |
| 1200mm | 2.5ton                | Smooth Drum - Self Propelled |
|        | 1ton                  | Pad Foot - Self Propelled    |
|        | 2.5ton                | Pad Foot - Self Propelled    |
| 600mm  | Dynapac               | Trench Roller                |
| 900mm  | Dynapac               | Trench Roller                |
| CC122  | Dynapac               | Smooth Drum - Self Propelled |
| LG200  | REVERSE PLATE         |                              |
| LG400  | FORWARD REVERSE PLATE |                              |



### Compressor - Electric

| SIZE   | MODEL     | DESCRIPTION                         |
|--------|-----------|-------------------------------------|
| 12cfm  | 5.3 l/sec | Small - Handy Man unit              |
| 14 cfm |           | Portable - Air tools, Nail guns etc |

### Compressor - Diesel

| SIZE    | MODEL     | DESCRIPTION                                 |
|---------|-----------|---|
| 97 cfm  | 65 l/sec  | Trailer - Silenced - 8 bar                  |
| 130cfm  | 65 l/sec  | Trailer - Silenced - 8 bar                  |
| 180cfm  | 85 l/sec  | Trailer - Silenced - 8 bar - After cooler   |
| 395cfm  | 186 l/sec | Trailer - Silenced - 8 bar                  |
| 395cfm  | 186 l/sec | Trailer - Silenced - After Cooler - 8 bar   |
| 625cfm  | 295 l/sec | Trailer - Silenced - After Cooler - 8.5 bar |
| 832cfm  | 405 l/sec | Trailer - Silenced - After Cooler - 8.0 bar |
| 1050cfm | 495 l/sec | Trailer - Silenced - After Cooler - 8.0 bar |
| 1032cfm | 487 l/sec | Trailer - Silenced - After Cooler - 8.6 bar |
| 1302cfm | 615 l/sec | Trailer - Silenced - After Cooler - 8.5 bar |

### Accessories

| SIZE          | MODEL | DESCRIPTION              |
|---------------|-------|--------------------------|
| 19mm          | 25m   | Air Line 10mt            |
| 25mm          | 25m   | Air Line 10mt            |
| 50mm          | 20m   | Air Line 10mt            |
| Manifold      | Small |                          |
| Manifold      | Large |                          |
| In line oiler |       |                          |
| 19mm          |       | Air Hose Mincer fittings |
| 25mm          |       | Air Hose Mincer fittings |



### Concrete Saws

| SIZE       | MODEL    | DESCRIPTION                              |
|------------|----------|--|
| 300mm      | 12"      | Concrete Saw - Petrol - Quick Cut/Demo   |
| 350mm      | 14"      | Concrete Saw - Petrol - Quick Cut/Demo   |
| 400mm      | 16"      | Concrete Saw - Petrol - Quick Cut/Demo   |
| Trolley    |          | Trolley to suit Quick Cut Saws           |
| 350mm      | 14"      | Pavement Saw - Petrol                    |
| 400mm      | 16"      | Pavement Saw - Petrol                    |
| 350mm      | 14"      | Brick Saw - Electric 240 volt            |
| 350mm      | 14"      | Brick Saw - Petrol                       |
| Blades     | 12", 14" | Blades to suit Saws                      |
| Blades     | 16"      | B40 Concrete Diamond Blades to suit Saws |
| Blade Wear |          | 0.001" @ \$5.00 (Min)                    |

### Concrete Vibrator

| SIZE      | MODEL | DESCRIPTION                    |
|-----------|-------|--------------------------------|
| 2"(50mm)  |       | Vibrator Drive Unit - Petrol   |
| 3"(75mm)  |       | Vibrator Drive Unit - Electric |
|           |       | Vibrator Shaft                 |
|           |       | Flexdrive Extension            |
| 2" (50mm) |       | Vibrator - Portable            |

### Concrete Mixers

| SIZE    | MODEL | DESCRIPTION               |
|---------|-------|---------------------------|
| 2 cu ft |       | Concrete Mixer - Electric |
| 2 cu ft |       | Concrete Mixer - Petrol   |
| 3 cu ft |       | Concrete Mixer - Electric |
| 3 cu ft |       | Concrete Mixer - Petrol   |

### Concrete Drills

| SIZE | MODEL | DESCRIPTION                             |
|------|-------|---|
|      |       | Core Drilling Machine - Petrol          |
|      |       | Diamond Core Drill Bits                 |
|      |       | Diamond Core Drill Bit Wear \$10/0.001" |
|      |       | Hammer Drills 950                       |

### Concrete Accessories

| SIZE     | MODEL | DESCRIPTION                 |
|----------|-------|-----------------------------|
|          |       | Wheel Barrows               |
| 40"      |       | Trowelling Machine - Petrol |
|          |       | Hand Trowels                |
| 1.2m(3m) |       | Finishing Screeds           |



### Dingo Loader - Diesel or Petrol

| SIZE | MODEL | DESCRIPTION  |
|------|-------|--|
|      | K9    | Dingo Mini Loader - Standard bucket<br>4-in1 Bucket<br>Trencher<br>Post Hole Borer & Augers<br>Trailer<br>Dingo Mini Loader - Complete Package |

### Skid Steer Loaders - Diesel

| SIZE | MODEL | DESCRIPTION  |
|------|-------|--|
| 1t   | 5130  | Skid Steer Loader (Bobcat)   |
| 3t   | 5330  | Skid Steer Loader (Bobcat)<br>Trailer<br>Post Hole Borer & Augers<br>Fork Tynes<br>Broom Attachment<br>Stump Grinder |

### Mini Excavators - Diesel

| SIZE | MODEL | DESCRIPTION               |
|------|-------|---------------------------|
| 1.5t | 323   | Mini Excavator            |
| 3t   | 425   | Mini Excavator<br>Trailer |

### Trencher

| SIZE | MODEL | DESCRIPTION |
|------|-------|-------------|
| 75mm |       | Dingo       |

### Post Hole Borer

| SIZE      | MODEL | DESCRIPTION                      |
|-----------|-------|----------------------------------|
| 100-355mm |       | Petrol Post Hole Borer - One Man |
| 100-355mm |       | Petrol Post Hole Borer - Two Man |
| 100mm     |       | Hand Operated Borer              |

### Tools

| SIZE | MODEL | DESCRIPTION      |
|------|-------|------------------|
|      |       | Trench Shovel    |
|      |       | Post Hole Shovel |
|      |       | Mattock          |
|      |       | Crowbar          |



### Distribution Boards

| SIZE      | MODEL   | DESCRIPTION                                |
|-----------|---------|--|
| 1 phase   | Clipsal | 4 x 10 amp RCD safety pack                 |
| 1 Phase   | LG6.10  | 6 x 10 amp outlets, RCD                    |
| 1 Phase   | LG6.15  | 6 x 15 amp outlets, RCD                    |
| 1&3 Phase | LG7     | 6 x 15 amp outlets, 1 x 32 amp outlet, RCD |
| 1&3 Phase | LG16    | 8 x 15 amp outlets, 1 x 32 amp outlet, RCD |
| 32 amp    |         | 20m Earth Screened cable to suit LG16      |
| 1&3 Phase | LG17    | 12x15 amp outlets, 3x32 amp outlets, RCD   |
| 63 amp    |         | 20m Earth Screened cable to suit LG17      |
|           |         | Plug combinations fitted to suit           |

### Distribution Equipment

| SIZE   | MODEL | DESCRIPTION  |
|--------|-------|--|
| 400amp |       | Change over switch<br>Joiner Boxes<br>Tie Boards<br>Switch Rooms |
| 32v    |       | Transformers   |

### Electrical Cables

| SIZE    | MODEL   | DESCRIPTION                           |
|---------|---------|---------------------------------------|
| 1 phase | 10 amp  | 10m Extension Lead 240 volt           |
| 1 phase | 15 amp  | 20m Extension Lead 240 volt           |
| 3 phase | 15 amp  | 20m Extension Lead 415 volt           |
| 3 phase | 32 amp  | 10m Extension Lead 415 volt           |
| 3 phase | 63 amp  | 20m Extension Lead 415 volt           |
| 3 phase | 220 amp | 35mm Flex 415 volt                    |
| 3 phase | 420 amp | 95mm Flex 415 volt                    |
| 3 phase | 490 amp | 120mm Flex 415 volt                   |
| 3 phase | 660 amp | 185mm Flex 415 volt                   |
| 3 phase | 790 amp | 240mm Flex 415 volt                   |
| 32 amp  |         | 20m Earth Screened cable to suit LG16 |
| 63 amp  |         | 20m Earth Screened cable to suit LG17 |

### Load Banks

| SIZE   | MODEL | DESCRIPTION  |
|--------|-------|--------------|
| 200 KW |       | 200 kilowatt |
| 400 KW |       | 400 kilowatt |



### Electric Drills

| SIZE | MODEL | DESCRIPTION                |
|------|-------|----------------------------|
| 13mm |       | Hand Drill                 |
| 16mm |       | Hand Drill                 |
| 19mm | Hilti | Rotary Hammer Drill        |
| 15mm |       | Magnetic Base Drill        |
| 31mm |       | Magnetic Base Drill        |
|      | Fein  | Rota Broach Drill          |
|      |       | Screw Gun                  |
|      | 900   | Kango Hammers (Demolition) |
|      |       | Kango Hammer Attachments   |

### Electric Grinders

| SIZE      | MODEL | DESCRIPTION   |
|-----------|-------|---------------|
| 125mm(5") |       | Angle Grinder |
| 175mm(7") |       | Angle Grinder |
| 225mm(9") |       | Angle Grinder |
| 6mm       |       | Die Grinder   |

### Electric Saws

| SIZE  | MODEL | DESCRIPTION              |
|-------|-------|--------------------------|
| 225mm |       | Circular Saw             |
| 355mm |       | Metal Drop Saw (cut off) |
| 355mm |       | Brick Saw                |
|       |       | Jig Saw                  |
|       |       | Reciprocating Saw        |
|       |       | Blades                   |

### Electric Sanders

| SIZE  | MODEL | DESCRIPTION    |
|-------|-------|----------------|
| 100mm |       | Orbital Sander |
| 100mm |       | Belt Sander    |
|       |       | Belts / Discs  |

### Electric Fans

| SIZE  | MODEL | DESCRIPTION                        |
|-------|-------|------------------------------------|
| 300mm | CX2   | Breathing Zone Ventilator          |
| 600mm |       | Mancooler                          |
| 300mm | 6m    | Ducting to suit CX2 Breathing Zone |
| 750mm |       | Pedestal Fan                       |

### Miscellaneous

| SIZE    | MODEL    | DESCRIPTION                    |
|---------|----------|--------------------------------|
| Various | Rigid    | Pipe Threading Machine         |
| 1-2.5mm |          | Nibbler                        |
|         |          | Heat Gun                       |
| 1/2"    |          | Impact Wrench                  |
| 3/4"    |          | Impact Wrench                  |
| 10 amp  | 4x10 amp | Earth Leakage RCD Safety pack  |
| 100mm   |          | Planer                         |
| 16-24mm | Nitto    | Hole Punch                     |
|         |          | Cable Locator - Underground    |
|         |          | Vacuum Cleaner (Wet/Dry)       |
|         |          | Hoists - See Rigging Equipment |
|         | 18Volt   | Cordless Drills                |



### Mast Forklifts

| SIZE | MODEL   | DESCRIPTION                        |
|------|---------|------------------------------------|
| 2.5t | CAT     | Diesel - 2 Stage Mast              |
| 2.5t | CAT     | Diesel - 3 Stage Container Mast    |
| 2.5t | Toyota  | Diesel - 3 Stage Mast              |
| 2.5t | Manitou | Diesel Rough Terrain, 3 Stage Mast |
| 3t   | Manitou | Diesel Rough Terrain, 3 Stage Mast |
| 3t   | CAT     | Diesel - 2 Stage Mast              |
| 3t   | CAT     | Diesel - 3 Stage Container Mast    |
| 4t   | CAT     | Diesel - 2 Stage Mast              |
| 5t   | CAT     | Diesel - 2 Stage Mast              |

All forks fitted with side shift and options of single or dual wheel solid or pneumatic tyres. Optional fuel sources dual fuel/diesel.

### Telescopic Forklifts/Material Handlers

| SIZE | Reach | DESCRIPTION                               |
|------|-------|---|
| 2.4t | 5m    | 4WD Rough Terrain - A/C Cab               |
| 2.7t | 5.5m  | 4WD Rough Terrain - A/C Cab               |
| 3t   | 7m    | 4WD Rough Terrain - A/C Cab               |
| 3.3t | 10.5m | 4WD Rough Terrain - A/C Cab               |
| 3.5t | 9.5m  | 4WD Rough Terrain - A/C Cab               |
| 3.5t | 12.5m | 4WD Rough Terrain - A/C Cab - Stabilisers |
| 3.5t | 14m   | 4WD Rough Terrain - A/C Cab - Stabilisers |
| 4t   | 7m    | 4WD Rough Terrain - A/C Cab               |
| 4t   | 17m   | 4WD Rough Terrain - A/C Cab - Stabilisers |

### Forklift Accessories

| SIZE | Model | DESCRIPTION                             |
|------|-------|---|
|      |       | Forklift Extensions (Slippers)          |
|      |       | Lifting Jib                             |
|      |       | Man Cage                                |
|      |       | Material Bucket (Telescopic Forks only) |
|      |       | Sweeper Attachment                      |



### Portable Generators - Unsilenced

| SIZE   | MODEL   | DESCRIPTION              |
|--------|---------|--------------------------|
| 2.5kva | 1 Phase | 1.6kw - 8 amps - Petrol  |
| 6kva   | 1 Phase | 4.8kw - 24 amps - Petrol |
| 6kva   | 1 Phase | 4.8kw - 24 amps - Diesel |

### Skid Mount Generators - Silenced

| SIZE    | MODEL   | DESCRIPTION                |
|---------|---------|----------------------------|
| 9kva    | 1 Phase | 8kw - 12 amps - Diesel     |
| 11kva   | 3 Phase | 9kw - 14 amps - Diesel     |
| 12.5kva | 3 Phase | 10kw - 16 amps - Diesel    |
| 13kva   | 3 Phase | 10.5kva - 18 amps - Diesel |
| 14kva   | 3 Phase | 12kw - 21 amps - Diesel    |
| 20kva   | 3 Phase | 16kw - 28 amps - Diesel    |
| 30kva   | 3 Phase | 24kw - 43 amps - Diesel    |
| 45kva   | 3 Phase | 36kw - 65 amps - Diesel    |
| 60kva   | 3 Phase | 48kw - 87 amps - Diesel    |
| 80kva   | 3 Phase | 60kw - 116 amps - Diesel   |
| 100kva  | 3 Phase | 80kw - 144 amps - Diesel   |
| 125kva  | 3 Phase | 100kw - 174 amps - Diesel  |
| 150kva  | 3 Phase | 120kw - 209 amps - Diesel  |
| 200kva  | 3 Phase | 160kw - 278 amps - Diesel  |
| 250kva  | 3 Phase | 200kw - 347 amps - Diesel  |
| 300kva  | 3 Phase | 240kw - 417 amps - Diesel  |

Larger Generators on request

### Distribution Boards

| SIZE      | MODEL   | DESCRIPTION                                |
|-----------|---------|--|
| 1 phase   | Clipsal | 4 x 10 amp RCD safety pack                 |
| 1 Phase   | LG6.10  | 6 x 10 amp outlets, RCD                    |
| 1 Phase   | LG6.15  | 6 x 15 amp outlets, RCD                    |
| 1&3 Phase | LG7     | 6 x 15 amp outlets, 1 x 32 amp outlet, RCD |
| 1&3 Phase | LG16    | 8 x 15 amp outlets, 1 x 32 amp outlet, RCD |
| 32 amp    |         | 20m Earth Screened cable to suit LG16      |
| 1&3 Phase | LG17    | 12x15 amp outlets, 3x32 amp outlets, RCD   |
| 63 amp    |         | 20m Earth Screened cable to suit LG17      |
|           |         | Plug combinations fitted to suit           |

### Distribution Equipment

| SIZE   | MODEL | DESCRIPTION  |
|--------|-------|--|
| 400amp |       | Change over switch<br>Joiner Boxes<br>Tie Boards<br>Switch Rooms |
| 32v    |       | Transformers   |

### Load Banks

| SIZE   | MODEL | DESCRIPTION  |
|--------|-------|--------------|
| 200 KW |       | 200 kilowatt |
| 400 KW |       | 400 kilowatt |

Leads & Cables also available - See Electrical Accessories



### Portapower Equipment

| SIZE | MODEL    | DESCRIPTION                   |
|------|----------|-------------------------------|
|      |          | Hand Pump Single Acting       |
|      |          | Hand Pump Double Acting       |
|      |          | Electric over hydraulic Pump  |
| 10t  |          | Cylinder                      |
| 20t  |          | Cylinder                      |
| 30t  |          | Cylinder                      |
| 50t  |          | Cylinder - Double Acting      |
| 100t |          | Cylinder - Double Acting      |
| 200t |          | Cylinder                      |
|      | 240 volt | Hydraulic Power Pack 240 volt |

### Hydraulic Jacks

| SIZE   | MODEL | DESCRIPTION   |
|--------|-------|---------------|
| 10t    |       | Bottle Jack   |
| 20t    |       | Bottle Jack   |
| 1400kg |       | Floor Jack    |
| 1000kg |       | Engine Lifter |

### Hydraulic Punch

| SIZE    | MODEL | DESCRIPTION          |
|---------|-------|----------------------|
| 16-24mm | Nitto | Hole Punch with Dies |

### Hydraulic Torque Multiplier

| SIZE | MODEL    | DESCRIPTION                  |
|------|----------|------------------------------|
|      | 240 volt | Hydraulic Torque Wrench Pump |
| 1"   | Head     | Torque Wrench Head           |
| 1.5" | Head     | Torque Wrench Head           |
| 2.5" | Head     | Torque Wrench Head           |

### Pneumatic Torque Multiplier

| SIZE | MODEL | DESCRIPTION                 |
|------|-------|-----------------------------|
| RAD  | 25GX  | Pneumatic Torque Wrench Kit |



### Lighting Towers

| SIZE     | MODEL  | DESCRIPTION                               |
|----------|--------|---|
| 4000watt | 4 head | Diesel - Hydraulic Mast +-15kva Generator |
| 6000watt | 4 head | Diesel - Hydraulic Mast +-15kva Generator |
| 8000watt | 8 head | Diesel - Hydraulic Mast                   |

### Portable Work Lights

| SIZE     | MODEL | DESCRIPTION            |
|----------|-------|------------------------|
| 500watt  |       | Flood Light            |
| 500watt  |       | Flood Light on stand   |
| 1500watt |       | Flood Light            |
| 1500watt |       | Flood Light on stand   |
| 40watt   |       | Fluorescent Lead Light |
| 32Volt   |       | Fluorescent Lead Light |

### Traffic Control

| SIZE | MODEL | DESCRIPTION           |
|------|-------|-----------------------|
|      |       | Amber Flashing Lights |



### Tools & Equipment

| SIZE | MODEL     | DESCRIPTION                                  |
|------|-----------|--|
| 16"  | Stihl     | Chain Saws - Complete with Chain             |
|      | 5lt       | Chain Saw Fuel Container / Oil               |
|      |           | Cable Locators - Underground                 |
|      |           | Oxy Bottle Trolleys                          |
|      |           | Oxy Bottle Trolleys - Certified for Lifting  |
|      |           | Flashing Amber Lights                        |
|      | TM800     | Traffic Barriers - Water Filled              |
|      |           | Witches Hats                                 |
|      |           | Traffic Signs                                |
| 2.3m | per metre | Temporary Fencing Panels                     |
|      |           | Pop Riveter                                  |
|      |           | Safety Harness                               |
|      |           | Laser Level with Tripod & Staff              |
|      |           | Spirit Level                                 |
|      |           | Strapping Machine (Straps & Clips available) |
|      |           | G-Clamps                                     |
|      |           | Fibro Cutter                                 |
|      |           | UHF Portable Radios                          |
|      |           | Axle Stands (set of two)                     |
|      |           | Tension Wrench                               |
|      |           | Air Blower - Back Pack                       |
|      |           | Duct Lifter / Material Lifter                |
|      |           | Shipping Containers                          |
|      |           | Ladders                                      |
|      |           | Fuel Tanks - Self Bunded 1000L-4000L         |
|      |           | Trailers                                     |
|      |           | Message Boards 8000                          |
|      |           | Dangerous Goods Cabinet                      |
|      |           | Sidchrome Socket Set                         |
| 150l |           | Chest Freezer                                |
| 200l |           | Esky   |
|      |           | Tandem Trailer                               |
|      |           | Wheel Barrow                                 |
|      |           | LPG Burner                                   |



**Sludge Pumps - Submersible**

| SIZE        | MODEL      | DESCRIPTION  |
|-------------|------------|--|
| 2"(50mm)    | 212<br>dsl | Flexdrive Sludge Pump - 50,000 L/hr<br>Pump Drive Unit |
| 6m          |            | Flexdrive Extension                                    |
| 2"(50mm)    |            | Cast Iron Chemical Pump                                |
| 1.25"(32mm) | Electric   | 240 volt Submersible Pump - 17000 L/hr                 |
| 2" (50mm)   | Electric   | 240 volt Submersible Pump - 36000 L/hr                 |
| 2" (50mm)   | Petrol     | Diaphragm Pump   |
|             | 212l/min   | Vacuum Pump  |
| 4" (100mm)  | Yakka      | Electric start pump<br>Stand Pipe                      |
| 4"(100mm)   | Diesel     | Trash Pump   |
| 6"(150mm)   | Selwood    | Diesel Rapid Response Unit on Trailer                  |

**Hoses**

| SIZE      | MODEL | DESCRIPTION   |
|-----------|-------|---|
| 50mm      | 5m    | Layflat Hoses<br>Rigid Drain Cleaner (Electric Eel) |
| 4"(100mm) |       | Layflat Hose  |
| 6"(150mm) |       | Discharge and Suction Hoses                         |

**Tanks**

| SIZE       | MODEL | DESCRIPTION       |
|------------|-------|-------------------|
| 5000 Litre |       | Water Tank & Pump |



### Chain Blocks

| SIZE | MODEL | DESCRIPTION      |
|------|-------|------------------|
| 1t   |       | Chain Block - 3m |
| 1t   |       | Chain Block - 6m |
| 2t   |       | Chain Block - 3m |
| 3t   |       | Chain Block - 3m |
| 5t   |       | Chain Block - 3m |

### Cumalongs

| SIZE  | MODEL | DESCRIPTION |
|-------|-------|-------------|
| 0.75t |       | Lever Hoist |
| 1.5t  |       | Lever Hoist |
| 3t    |       | Lever Hoist |
| 4.5t  |       | Lever Hoist |
| 8t    |       | Lever Hoist |
| 3t    |       | Tirfor      |

### Slings

| SIZE  | MODEL | DESCRIPTION |
|-------|-------|-------------|
| 2 Leg |       | Chain Sling |
| 4 Leg |       | Chain Sling |
| 1t    |       | Soft Sling  |
| 3t    |       | Soft Sling  |
| 6t    |       | Soft Sling  |
| 1t    |       | Wire Sling  |
| 5t    |       | Wire Sling  |

### Clamps/Trolleys

| SIZE   | MODEL | DESCRIPTION     |
|--------|-------|-----------------|
| 2t     |       | Pipe Clamp      |
| 5t     |       | Pipe Clamp      |
| 2t     |       | Girder Clamp    |
| 5t     |       | Girder Clamp    |
| 2t     |       | Girder Trolley  |
| 5t     |       | Girder Trolley  |
| 5-25mm |       | Wire Rope Clamp |

### Hoists

| SIZE | MODEL     | DESCRIPTION          |
|------|-----------|----------------------|
| 1t   | Electric  | 240 Volt Chain Hoist |
| 2t   | Electric  | 240 Volt Chain Hoist |
| 2t   | Electric  | 3 Phase Chain Hoist  |
| 3t   | Electric  | 3 Phase Chain Hoist  |
| 1t   | Pneumatic | Pneumatic Hoist      |
| 3t   | Pneumatic | Pneumatic Hoist      |

### Harnesses

| SIZE | MODEL | DESCRIPTION                      |
|------|-------|----------------------------------|
|      |       | Full Body Harness - 1.8m Lanyard |

### Scaffolding

| SIZE | MODEL | DESCRIPTION      |
|------|-------|------------------|
| 3m   |       | Aluminium Planks |
| 6m   |       | Aluminium Planks |



**TOOL STORES & SHUTDOWN MANAGEMENT FACILITIES**

**TOOL STORES MADE TO ORDER THROUGH CONSULTATION WITH CLIENTS**

**GANG BOXES**

**BOILER MAKER TOOL KITS**

**ELECTRICAL FITTER TOOL KITS**

**MECHANICAL FITTER TOOL KITS**

**SHORT TERM OR PERMANENT HIRE ARRANGEMENTS**

**ON SITE MANAGEMENT AVAILABLE**

**BARCODED EQUIPMENT AND TRACKING AVAILABLE**

**FULL SHUTDOWN REPORTING AND ANALYSIS BY EQUIPMENT AND USER**

**FOR DETAILS PLEASE CONTACT ANY ONE OF OUR BRANCHES TO ARRANGE APPOINTMENT**



### Welders - Diesel

| SIZE   | MODEL | DESCRIPTION                            |
|--------|-------|--|
| 300amp | 405D  | Lincoln Ranger - VRD - 15kw Aux Power  |
| 400amp | 400   | Lincoln Vantage - VRD - 19kw Aux Power |
| 450amp | 575   | Lincoln Vantage - VRD - 20kw Aux Power |
| 500amp | 500   | Lincoln Air Vantage-VRD-20kw-Aux Power |

### Welders - Electric

| SIZE   | MODEL    | DESCRIPTION                           |
|--------|----------|---------------------------------------|
| 160amp | 240volt  | Caddy Welders                         |
| 180amp | 240volt  | Caddy Welders                         |
| 160amp | 240volt  | Caddy Welders VRD, Gas, (Tig & Stick) |
| 160amp | 240volt  | Stick Welder                          |
| 150amp | 240volt  | Mig Welders                           |
| 400amp | 415volt  | Mig Welders                           |
| 600amp | 415volt  | Mig Welders                           |
| 400amp | 455M/STT | Lincoln STT Power Wave                |

### Plasma Cutters

| SIZE | MODEL | DESCRIPTION             |
|------|-------|-------------------------|
|      |       | Procut 25 Plasma Cutter |

### Welding Accessories

| SIZE   | MODEL    | DESCRIPTION                          |
|--------|----------|--------------------------------------|
| LN25   | Gas      | Wire Feeder                          |
| LN25   | Gasless  | Wire Feeder                          |
| 500Amp | 10m      | Welding Extension Leads \$13/mt      |
|        | Tweco    | Tweco Hand Pieces                    |
|        | Stick    | Electrode Holder / Hand Pieces       |
|        |          | Earth Clamps - Single/Double \$13/mt |
| 20m    |          | Remote Controls                      |
| 600amp |          | Dead Man Switches                    |
|        |          | Oxy Acelelene Kits                   |
|        |          | Regulators (Flashback - \$16)        |
|        |          | Oxy Bottle Lifting Frames            |
| 300mm  | Electric | Exhaust Fans                         |
| 300mm  | 6m       | Exhaust Fan Ducting                  |
|        |          | Arc Air Gouger                       |
| 15 Amp | 3 Phase  | Extension Leads                      |
|        |          | Welding Helmet                       |
|        |          | Welding Lead Connectors \$12.00 each |
|        |          | Earth Clamps \$24 each               |
|        |          | Argon Regulators                     |
|        |          | LPG Regulators                       |